

DEHOCR04

LOCATION: Approximately 15 yards upstream of confluence with Paradise Creek.

Latitude 41° 07' 54.00"

Longitude -75° 18' 50.00"

FIELD CHEMISTRY:

SITE ID	SAMPLE DATE	TEMP C	SpC mScm	DO mg/l	pH su	ORP mV	DO % sat.	COND mS/cm	TDS mg/l
DEHOCR04	4/4/03	5.99	54	11.67	6.77	311	93.70	34	35
DEHOCR04	5/3/03	12.51	49	10.07	7.19	248	94.60	37	32
DEHOCR04	6/17/03	12.11	46	10.47	7.07	303	97.40	35	30
DEHOCR04	7/15/03	13.49	29	10.66	8.43	160	102.30	23	19
DEHOCR04	8/13/03	15.31	43	10.08	7.02	360	100.60	35	28
DEHOCR04	9/10/03	14.66	46	8.78	7.40	368	86.40	37	30
DEHOCR04	10/29/03	9.87	38	11.50	7.28	388	101.50	27	25
DEHOCR04	11/22/03	8.78	40	11.22	7.33	277	96.60	28	26
DEHOCR04	12/13/03	4.08	37	12.64	7.57	281	96.60	22	24
DEHOCR04	1/24/04	0.86	42	12.66	8.22	193	88.70	23	28
DEHOCR04	2/21/04	4.64	45	12.00	8.02	266	93.10	28	29
DEHOCR04	3/27/04	9.19	87	11.69	7.65	286	101.60	61	57
wshed min.		0.01	29	5.42	5.47	46	57.70	1	19
wshed max.		26.25	548	14.37	8.99	561	113.10	388	356
wshed avg.		10.04	146	10.97	7.50	304	96.14	104	95

Temperatures that exceed Specific Water Quality Criteria in Chapter 93 of Title 25 of the PA Code are shown in red. SpC is specific conductance. DO is dissolved oxygen. ORP is oxidation reduction potential. COND is conductivity. TDS is total dissolved solids. Refer to Sampling and Analysis Plan under Phase I study results for quality assurance/quality control information.

LABORATORY DATA:

SITE ID	SAMPLE DATE	pH	NITRATE	NITRITE	TOTAL SUPSENDED	TOTAL PHOSPHORUS	FECAL COLIFORM
		su	mg/l	mg/l	SOLIDS mg/l	mg/l	CFU/100ml
DEHOOCR04	4/4/03	6.36	<0.1	<0.005	<1.0	0.08	0
DEHOOCR04	5/3/03	6.46	<0.1	0.018	5.8	0.12	0
DEHOOCR04	6/17/03	6.69	0.17	0.01	1.1	0.03	125
DEHOOCR04	7/15/03	6.59	0.54	<0.005	<1.0	0.15	8
DEHOOCR04	8/13/03	6.78	<0.1	0.01	<1.0	0.02	120
DEHOOCR04	10/29/03	6.27	<0.10	<0.005	<1.0	0.14	8
DEHOOCR04	11/22/03	6.60	1.11	0.02	2.4	0.06	1
DEHOOCR04	12/13/03	6.25	0.31	0.01	<1.0	0.07	1
DEHOOCR04	1/24/04	6.71	<0.1	0.01	3.6	0.06	0
DEHOOCR04	2/21/04	6.69	0.25	0.04	1.0	0.06	7
DEHOOCR04	3/27/04	6.60	0.24	<0.01	<1.0	<0.02	1
DEHOOCR04	9/10/03	6.64	0.3	0.01	1.6	0.02	6
Wshed min		5.47	0.10	0.005	1.0	0.01	0
Wshed max		8.19	1.51	0.050	13.0	0.90	5700
Wshed avg		6.85	0.50	0.019	2.7	0.11	

If the number of sample results where the analytical parameter was not detected exceeded 20% of the sample pool, they were not included in the calculated watershed average. If the number of non-detect samples was less than 20% of the sample pool, ½ of the detection limit was used to represent those samples in the calculated watershed average. Refer to Sampling and Analysis Plan under Phase I of study results for quality assurance/quality control information.

BENTHIC MACROINVERTEBRATES:

The following table compares trending results of the EPA/County scoring schemes for repeat sites (1995 through 2004).

Site #	Site Name	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995
PARACR03	Paradise Creek	33	31								31
BUTZRU01	Butz Run	29	23								
CRANCR01	Cranberry Creek (Paradise)	29									
PARACR04	Paradise Creek	33	31								
DEHOCR04	Devils Hole Creek	31	31								
CRANCR03	Cranberry Creek (Paradise)	21	23								
SWIFCR06	Swiftwater Creek	21	23								
SWIFCR02	Swiftwater Creek	25	27								
FOHIRU01	Forest Hills Run	29	25								
PARACR01	Paradise Creek	29	29								
FOHIRU04	Forest Hills Run	25	19	25	29	25	27	27	23	31	
FOHIRU09	Forest Hills Run	15	17								
SWIFCR07	Swiftwater Creek	29	25	29	33						
SWIFCR05	Swiftwater Creek	33	23	25	29	27	25	29	21	25	19
SWIFCR03	Swiftwater Creek	29	29	25	29	29	17	27	19	27	23

The range 35 - 29 is considered optimal. The range 28 - 14 is the slightly to moderately impaired category, and any site with a total score of less than 14 is considered severely impaired.

HABITAT ANALYSIS

2003

DEHOCR04 196 Optimal Greater than 50% mix of boulder, cobble, or other stable habitat.
All four velocity/depth regimes present.
Condition of banks moderately stable.

2004

DEHOCR04 189 Suboptimal-
Optimal Only two of the four velocity/depth regimes present.
Well developed riffle and run.
Less than 5% of the bottom affected by sediment deposition.

**MACROINVERTEBRATE IDENTIFICATIONS
2003 MONROE COUNTY WATER QUALITY STUDY**

SITE ID: DEHOCR04

Insecta		Philopotamidae	1	Simuliidae	6
Ephemeroptera		Polycentropodidae	4	Tabanidae	1
Baetidae	52	Psychomyiidae		Dixidae	
Baetiscidae		Beraeidae		Collembola	
Caenidae		Brachycentridae	3	Poduridae	
Ephemerellidae	3	Lepidostomatidae		Nemertea	
Ephemeridae		Helicopsychidae		Nematoda	
Heptageniidae	5	Leptoceridae		Nematomorpha	
Leptophlebiidae		Limnephilidae		Annelida	
Metretopodidae		Molannidae		Hirudinea	
Neophemeridae		Odontoceridae		Oligochaeta	
Oligoneuriidae		Phryganeidae		Lumbriculida	
Polymitarcyidae		Sericostomatidae		Lumbriculidae	
Potamanthidae		Uenoidae		Tubificida	
Siphonuridae		Glossosomatidae		Platyhelminthes	
Tricorythidae		Hydroptilidae	21	Turbellaria	
Odonata		Rhyacophilidae	1	Planariidae	
Aeshnidae		Lepidoptera		Mollusca	
Cordulegastridae		Pyralidae		Bivalva	
Corduliidae		Coleoptera		Unionidae	
Gomphidae	1	Dytiscidae		Sphaeriidae	
Libellulidae		Gyrinidae		Cyrenidae	
Macromiidae		Halplidae		Corbiculidae	
Calopterygidae		Noteridae		Gastropoda	
Coenagrionidae		Elmidae		Ancylidae	
Lestidae		Hydraenidae		Physidae	
Plecoptera		Hydrophilidae		Planorbidae	
Capniidae		Limnichidae		Bulimidae	
Chloroperlidae	9	Psephenidae	1	Limnaeidae	
Leuctridae	7	Ptilodactylidae		Crustacea	
Nemouridae		Megaloptera		Amphipoda	
Peltoperlidae	6	Corydalidae		Gammaridae	
Perlidae		Sialidae		Talitridae	
Perlodidae	2	Neuroptera		Isopoda	
Pteronarcyidae	1	Sisyridae		Asellidae	
Taeniopterygidae		Diptera		Decapoda	
Hemiptera		Ephydriidae	1	Cambaridae	1
Belostomatidae		Athericidae		Arachnidia	
Corixidae		Tipulidae	5	Acari	
Gerridae		Empididae		Hydrachnidia	
Mesoveliidae		Blephariceridae			


Notonectidae		Ceratopogonidae		
Saldidae		Chaoboridae		
Veliidae		Chironomidae	37	
Trichoptera		Culicidae		
Hydropsychidae	12	Muscidae		

MONROE COUNTY WATER QUALITY STUDY			SITE ID. DEHOCR04		
Insecta		Philopotamidae	3	Simuliidae	7
Ephemeroptera		Polycentropodidae	37	Tabanidae	1
Baetidae	46	Psychomyiidae		Dixidae	
Baetiscidae		Beraeidae		Collembola	
Caenidae		Brachycentridae	2	Poduridae	
Ephemerellidae	6	Lepidostomatidae		Nemertea	
Ephemeridae		Helicopsychidae		Nematoda	
Heptageniidae	12	Leptoceridae		Nematomorpha	
Leptophlebiidae	1	Limnephilidae		Annelida	
Metretopodidae		Molannidae		Hirudinea	
Neoephemeridae		Odontoceridae		Oligochaeta	
Oligoneuriidae		Phryganeidae		Lumbriculida	
Polymitarcyidae		Sericostomatidae		Lumbriculidae	
Potamanthidae		Uenoidae		Tubificida	
Siphonuridae		Glossosomatidae		Platyhelminthes	
Tricorythidae		Hydroptilidae	18	Turbellaria	
Odonata		Rhyacophilidae		Planariidae	
Aeshnidae		Lepidoptera		Mollusca	
Cordulegastridae		Pyralidae		Bivalva	
Corduliidae		Coleoptera		Unionidae	
Gomphidae		Dytiscidae		Sphaeriidae	
Libellulidae		Gyrinidae		Cyrenidae	
Macromiidae		Haliplidae		Corbiculidae	
Calopterygidae		Noteridae		Gastropoda	
Coenagrionidae		Elmidae	2	Ancylidae	
Lestidae		Hydraenidae		Physidae	
Plecoptera		Hydrophilidae		Planorbidae	
Capniidae		Limnichidae		Bulimidae	
Chloroperlidae	22	Psephenidae		Limnaeidae	
Leuctridae	16	Ptilodactylidae		Crustacea	
Nemouridae		Megaloptera		Amphipoda	
Peltoperlidae	8	Corydalidae		Gammaridae	
Perlidae	4	Sialidae		Talitridae	
Perlodidae		Neuroptera		Isopoda	
Pteronarcyidae	1	Sisyridae		Asellidae	
Taeniopterygidae		Diptera		Decapoda	
Hemiptera		Ephydriidae		Cambaridae	
Belostomatidae		Athericidae		Arachnidia	
Corixidae		Tipulidae	6	Acari	
Gerridae		Empididae		Hydrachnidia	
Mesoveliidae		Blephariceridae			
Notonectidae		Ceratopogonidae			
Saldidae		Chaoboridae			
Veliidae		Chironomidae	78		
Trichoptera		Culicidae			
Hydropsychidae	14	Muscidae			

Pebble Count (Cross Section)

DEHOCR04

Material	Size Range (mm)		Particle Count	Cumulative Percent
silt/clay	0	0.062	0	0%
very fine sand	0.062	0.13	2	2%
fine sand	0.13	0.25	0	2%
medium sand	0.25	0.5	2	4%
coarse sand	0.5	1	1	5%
very coarse sand	1	2	1	6%
very fine gravel	2	4	2	8%
fine gravel	4	6	1	9%
fine gravel	6	8	3	12%
medium gravel	8	11	5	17%
medium gravel	11	16	3	20%
coarse gravel	16	22	4	24%
coarse gravel	22	32	3	27%
very coarse gravel	32	45	4	31%
very coarse gravel	45	64	7	38%
small cobble	64	90	14	52%
medium cobble	90	128	16	68%
large cobble	128	180	3	71%
very large cobble	180	256	8	79%
small boulder	256	362	12	91%
small boulder	362	512	1	92%
medium boulder	512	1024	2	94%
large - very large boulder	1024	2048	6	100%
bedrock	2048	4096	0	100%
Total Particle Count:			100	



Pebble Count (Cross Section)

DEHOCR04

Material	Size Range (mm)		Particle Count	Cumulative Percent
silt/clay	0	0.062	0	0%
very fine sand	0.062	0.13	0	0%
fine sand	0.13	0.25	0	0%
medium sand	0.25	0.5	2	2%
coarse sand	0.5	1	4	6%
very coarse sand	1	2	0	6%
very fine gravel	2	4	2	8%
fine gravel	4	6	3	11%
fine gravel	6	8	7	18%
medium gravel	8	11	4	22%
medium gravel	11	16	3	25%
coarse gravel	16	22	6	31%
coarse gravel	22	32	9	40%
very coarse gravel	32	45	6	46%
very coarse gravel	45	64	9	55%
small cobble	64	90	18	73%
medium cobble	90	128	12	85%
large cobble	128	180	7	92%
very large cobble	180	256	3	95%
small boulder	256	362	2	97%
small boulder	362	512	2	99%
medium boulder	512	1024	1	100%
large - very large boulder	1024	2048	0	100%
bedrock	2048	4096	0	100%
Total Particle Count:			100	

